

PHP Version 5.2.1	
--------------------------	---

System	Windows NT TPCGWEB 5.2 build 3790
Build Date	Feb 7 2007 23:10:31
Configure Command	cscript /nologo configure.js "--enable-snapshot-build" "--with-gd=shared"
Server API	ISAPI
Virtual Directory Support	enabled
Configuration File (php.ini) Path	C:\WINDOWS\php.ini
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	enabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	php, file, data, http, ftp, compress.zlib, https, ftps, zip
Registered Stream Socket Transports	tcp, udp, ssl, sslv3, sslv2, tls
Registered Stream Filters	convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, zlib.*

This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.2.0, Copyright (c) 1998-2007 Zend Technologies



PHP Credits

Configuration

PHP Core

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	6135	6135
expose_php	On	On
extension_dir	C:\Program Files\php\ext\	C:\Program Files\php\ext\
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB

phpinfo()

highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	.:C:\php5\pear	.:C:\php5\pear
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mailforce_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	300	300
max_input_time	60	60
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	On	On
register_long_arrays	Off	Off
report_memleaks	On	On
report_zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	donotreply@tpcg.org	donotreply@tpcg.org
sendmail_path	<i>no value</i>	<i>no value</i>
serialize_precision	100	100
short_open_tag	On	On
SMTP	172.16.1.57	172.16.1.57
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	10M	10M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

bcmath

BCMath support	enabled
----------------	---------

calendar

Calendar support	enabled
------------------	---------

com_dotnet

COM support	enabled
DCOM support	disabled
.Net support	enabled

Directive	Local Value	Master Value
com.allow_dcom	0	0

phpinfo()

com.autoregister_casesensitive	1	1
com.autoregister_typelib	0	0
com.autoregister_verbose	0	0
com.code_page	<i>no value</i>	<i>no value</i>
com.typelib_file	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
-----------------	---------

date

date/time support	enabled
Timezone Database Version	2006.16
Timezone Database	internal
Default timezone	America/Chicago

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	America/Chicago	<i>no value</i>

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.26
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.38 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.28 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.1.9
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

hash

hash	enabled
------	---------

support	
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru gost adler32 crc32 crc32b haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	"libiconv"
iconv library version	1.9

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imap

IMAP c-Client Version	2004
SSL Support	enabled

ISAPI

Server Variable	Value
CONTENT_LENGTH	0
PATH_TRANSLATED	E:\websites\secure\login\dispatcher.php
QUERY_STRING	f=bids-test&p=cover-create&callback=%7Bdispatcher.php%3Bf%3Abids-test%2Cp%3Abid-list%7D
REMOTE_ADDR	172.16.150.48
REMOTE_HOST	172.16.150.48
REQUEST_METHOD	GET
SERVER_NAME	secure.tpcg.org
SERVER_PORT	443
SERVER_PROTOCOL	HTTP/1.1
SERVER_SOFTWARE	Microsoft-IIS/6.0
APPL_MD_PATH	/LM/W3SVC/389911499/Root
APPL_PHYSICAL_PATH	E:\websites\secure\
INSTANCE_ID	389911499
INSTANCE_META_PATH	/LM/W3SVC/389911499
URL	/login/dispatcher.php
ALL_HTTP	HTTP_CONNECTION:keep-alive HTTP_ACCEPT:text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8 HTTP_ACCEPT_ENCODING:gzip, deflate, sdch HTTP_ACCEPT_LANGUAGE:en-US,en;q=0.8 HTTP_COOKIE:ga=GA1.2.1310750613.1427395176; PHPSESSID=716uj90bsku6cvlg3tdfs23e35 HTTP_HOST:secure.tpcg.org HTTP_IF_NONE_MATCH:bc-5facfc55cbcae2ecc66167a9817cc2 HTTP_REFERER:https://secure.tpcg.org/login/dispatcher.php?f=bids-test&p=bid-list HTTP_USER_AGENT:Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/43.0.2357.124 Safari/537.36
HTTPS	on
SCRIPT_NAME	/login/dispatcher.php
CERT_KEYSIZE	168
CERT_SECRETKEYSIZE	2048
CERT_SERVER_ISSUER	C=US, O="Thawte, Inc.", OU=Domain Validated SSL, CN=Thawte DV SSL CA
CERT_SERVER_SUBJECT	OU=Go to https://www.thawte.com/repository/index.html, OU=Thawte SSL123 certificate, OU=Domain Validated, CN=secure.tpcg.org
HTTPS_KEYSIZE	168
HTTPS_SECRETKEYSIZE	2048
HTTPS_SERVER_ISSUER	C=US, O="Thawte, Inc.", OU=Domain Validated SSL, CN=Thawte DV SSL CA
HTTPS_SERVER_SUBJECT	OU=Go to https://www.thawte.com/repository/index.html, OU=Thawte SSL123 certificate, OU=Domain Validated, CN=secure.tpcg.org
SERVER_PORT_SECURE	1

json

json support	enabled
json version	1.2.1

ldap

LDAP Support	enabled
---------------------	---------

RCS Version	\$Id: ldap.c,v 1.161.2.3.2.3 2007/01/05 15:06:55 iliaa Exp \$
Total Links	0/unlimited
API Version	2004
Vendor Name	OpenLDAP
Vendor Version	0

libxml

libXML support	active
libXML Version	2.6.26
libXML streams	enabled

mssql

MSSQL Support	enabled
Active Persistent Links	0
Active Links	0
Library version	7.0

Directive	Local Value	Master Value
mssql.allow_persistent	On	On
mssql.batchsize	0	0
mssql.compatibility_mode	Off	Off
mssql.connect_timeout	5	5
mssql.datetimeconvert	On	On
mssql.max_links	Unlimited	Unlimited
mssql.max_persistent	Unlimited	Unlimited
mssql.max_procs	Unlimited	Unlimited
mssql.min_error_severity	10	10
mssql.min_message_severity	10	10
mssql.secure_connection	Off	Off
mssql.textlimit	10000	10000
mssql.textsize	10000	10000
mssql.timeout	60	60

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.22

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	no value	no value
mysql.default_password	no value	no value
mysql.default_port	no value	no value
mysql.default_socket	no value	no value
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	Win32

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_db	no value	no value
odbc.default_pw	no value	no value
odbc.default_user	no value	no value

phpinfo()

odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Version	OpenSSL 0.9.8d 28 Sep 2006

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	6.7 04-Jul-2006

PDO

PDO support	enabled
PDO drivers	mssql

pdo_mssql

PDO Driver for MSSQL DB-lib	enabled
Flavour	MSSQL_70

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c,v 1.164.2.33.2.33 2007/01/01 09:36:05 sebastian Exp \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1800	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
-------------------	---------

Revision	\$Revision: 1.151.2.22.2.20 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, Infiltrator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Internal Sendmail Support for Windows	enabled

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.26

xmlreader

XMLReader	enabled
-----------	---------

xmlwriter

XMLWriter	enabled
------------------	---------

zip

Zip	enabled
Extension Version	\$Id: php_zip.c.v 1.1.2.27 2007/01/29 15:25:06 pajoye Exp \$
Zip version	2.0.0
Libzip version	0.7.1

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
ALLUSERSPROFILE	C:\Documents and Settings\All Users
AVENGINE	C:\PROGRA~1\CA\SHARED~1\SCANEN~1
ClusterLog	C:\WINDOWS\Cluster\cluster.log
CommonProgramFiles	C:\Program Files\Common Files
COMPUTERNAME	TPCGWEB
ComSpec	C:\WINDOWS\system32\cmd.exe
FP_NO_HOST_CHECK	NO
INOCULAN	C:\PROGRA~1\CA\ETRUST~1
lib	C:\Program Files\SQLXML 4.0\bin\
NUMBER_OF_PROCESSORS	1
OS	Windows_NT
Path	C:\WINDOWS\system32;C:\WINDOWS\C:\WINDOWS\System32\Wbem;C:\Program Files\php;C:\Program Files\Microsoft SQL Server\80\Tools\Binn\;C:\PROGRA~1\IBM\CLIENT~1;C:\PROGRA~1\IBM\CLIENT~1\Shared;C:\PROGRA~1\CA\SHARED~1\SCANEN~1;C:\PROGRA~1\CA\ETRUST~1
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.PSC1;.PSC1
PROCESSOR_ARCHITECTURE	x86
PROCESSOR_IDENTIFIER	x86 Family 6 Model 45 Stepping 7, GenuineIntel
PROCESSOR_LEVEL	6
PROCESSOR_REVISION	2d07
ProgramFiles	C:\Program Files
PSModulePath	C:\WINDOWS\system32\WindowsPowerShell\v1.0\Modules\
SystemDrive	C:
SystemRoot	C:\WINDOWS
TEMP	C:\WINDOWS\TEMP
TMP	C:\WINDOWS\TEMP
USERPROFILE	C:\Documents and Settings\Default User
windir	C:\WINDOWS

PHP Variables

Variable	Value
PHP_SELF	/login/dispatcher.php
_REQUEST["f"]	bids-test
_REQUEST["p"]	cover-create
_REQUEST["callback"]	{dispatcher.php;f:bids-test;p:bid-list}
_REQUEST["_ga"]	GA1.2.1310750613.1427395176
_REQUEST["PHPSESSID"]	716uI90bsku6cvlg3tdfs23e35

__GET["f"]	bids-test
__GET["p"]	cover-create
__GET["callback"]	{dispatcher.php;f;bids-test;p;bid-list}
__COOKIE["_ga"]	GA1.2.1310750613.1427395176
__COOKIE["PHPSESSID"]	716ul90bsku6cvlg3tdfs23e35
__SERVER["ALL_HTTP"]	HTTP_CONNECTION:keep-alive HTTP_ACCEPT:text/html,application/xhtml+xml,application/xml;q=0.9,image/webp.*/*;q=0.8 HTTP_ACCEPT_ENCODING:gzip, deflate, sdch HTTP_ACCEPT_LANGUAGE:en-US,en;q=0.8 HTTP_COOKIE:_ga=GA1.2.1310750613.1427395176; PHPSESSID=716ul90bsku6cvlg3tdfs23e35 HTTP_HOST:secure.tpcg.org HTTP_IF_NONE_MATCH:bc-5faccfc55cbcae2ecc66167a9817cc2 HTTP_REFERER:https://secure.tpcg.org/login/dispatcher.php?f=bids-test&p=bid-list HTTP_USER_AGENT:Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/43.0.2357.124 Safari/537.36
__SERVER["HTTPS"]	on
__SERVER["SCRIPT_NAME"]	/login/dispatcher.php
__SERVER["HTTP_COOKIE"]	_ga=GA1.2.1310750613.1427395176; PHPSESSID=716ul90bsku6cvlg3tdfs23e35
__SERVER["AUTH_PASSWORD"]	no value
__SERVER["AUTH_TYPE"]	no value
__SERVER["AUTH_USER"]	no value
__SERVER["CONTENT_LENGTH"]	0
__SERVER["CONTENT_TYPE"]	no value
__SERVER["PATH_TRANSLATED"]	E:\websites\secure
__SERVER["QUERY_STRING"]	f=bids-test&p=cover-create&callback=%7Bdispatcher.php%3Bf%3Abids-test%2Cp%3Abid-list%7D
__SERVER["REMOTE_ADDR"]	172.16.150.48
__SERVER["REMOTE_HOST"]	172.16.150.48
__SERVER["REMOTE_USER"]	no value
__SERVER["REQUEST_METHOD"]	GET
__SERVER["SERVER_NAME"]	secure.tpcg.org
__SERVER["SERVER_PORT"]	443
__SERVER["SERVER_PROTOCOL"]	HTTP/1.1
__SERVER["SERVER_SOFTWARE"]	Microsoft-IIS/6.0
__SERVER["APPL_MD_PATH"]	/LMW3SVC/389911499/Root
__SERVER["APPL_PHYSICAL_PATH"]	E:\websites\secure\
__SERVER["INSTANCE_ID"]	389911499
__SERVER["INSTANCE_META_PATH"]	/LMW3SVC/389911499
__SERVER["LOGON_USER"]	no value
__SERVER["REQUEST_URI"]	/login/dispatcher.php?f=bids-test&p=cover-create&callback=%7Bdispatcher.php%3Bf%3Abids-test%2Cp%3Abid-list%7D
__SERVER["URL"]	/login/dispatcher.php?f=bids-test&p=cover-create&callback=%7Bdispatcher.php%3Bf%3Abids-test%2Cp%3Abid-list%7D
__SERVER["CERT_COOKIE"]	no value
__SERVER["CERT_FLAGS"]	no value
__SERVER["CERT_ISSUER"]	no value
__SERVER["CERT_KEYSIZE"]	168
__SERVER["CERT_SECRETKEYSIZE"]	2048
__SERVER["CERT_SERIALNUMBER"]	no value
__SERVER["CERT_SERVER_ISSUER"]	C=US, O="Thawte, Inc.", OU=Domain Validated SSL, CN=Thawte DV SSL CA
__SERVER["CERT_SERVER_SUBJECT"]	OU=Go to https://www.thawte.com/repository/index.html, OU=Thawte SSL123 certificate, OU=Domain Validated, CN=secure.tpcg.org
__SERVER["CERT_SUBJECT"]	no value
__SERVER["HTTPS_KEYSIZE"]	168
__SERVER["HTTPS_SECRETKEYSIZE"]	2048
__SERVER["HTTPS_SERVER_ISSUER"]	C=US, O="Thawte, Inc.", OU=Domain Validated SSL, CN=Thawte DV SSL CA
__SERVER["HTTPS_SERVER_SUBJECT"]	OU=Go to https://www.thawte.com/repository/index.html, OU=Thawte SSL123 certificate, OU=Domain Validated, CN=secure.tpcg.org
__SERVER["SERVER_PORT_SECURE"]	1
__SERVER["SCRIPT_FILENAME"]	E:\websites\secure\login\dispatcher.php
__SERVER["ORIG_PATH_INFO"]	/login/dispatcher.php
__SERVER["PATH_INFO"]	no value
__SERVER["ORIG_PATH_TRANSLATED"]	E:\websites\secure\login\dispatcher.php
__SERVER["DOCUMENT_ROOT"]	E:\websites\secure
__SERVER["PHP_SELF"]	/login/dispatcher.php
__SERVER["HTTP_CONNECTION"]	keep-alive
__SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp.*/*;q=0.8
__SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate, sdch
__SERVER["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.8
__SERVER["HTTP_HOST"]	secure.tpcg.org
__SERVER["HTTP_IF_NONE_MATCH"]	bc-5faccfc55cbcae2ecc66167a9817cc2
__SERVER["HTTP_REFERER"]	https://secure.tpcg.org/login/dispatcher.php?f=bids-test&p=bid-list
__SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/43.0.2357.124 Safari/537.36
__SERVER["REQUEST_TIME"]	1434546084

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.